



SLR:dm 06/16/06 3302-68189-01 542897

C7E
PATENT
Attorney Ref. No. 3302-68189-01

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: Michael M. Glenn

Date Mailed June 19, 2006

Patent No. PP16,401

Issued: April 4, 2006

Application No. 10/823,472

Filed: April 12, 2004

Confirmation No. 4132

For: OAK TREE NAMED 'QNSTC'

Examiner: June Hwu

Art Unit: 1661

Attorney Reference No. 3302-68189-01

Certificate
JUN 23 2006
of Correction

COMMISSIONER FOR PATENTS
P.O. BOX 1450
ALEXANDRIA, VA 22313-1450

REQUEST FOR CERTIFICATE OF CORRECTION

In checking the subject original Letters Patent with our copy of the application, the following error that occurred in the printing of the patent was noted:

In the Specification:


Column 6, line 4 (specification page 5, line 23), "1¼41" should be --1¼--.

The above error is attributable to the Patent Office, and a Certificate of Correction is enclosed in duplicate to make formal notice of the errors in the subject patent.

Respectfully submitted,

One World Trade Center
Suite 1600
121 S.W. Salmon Street
Portland, Oregon 97204
Telephone: (503) 595-5300
Facsimile: (503) 595-5301

KLARQUIST SPARKMAN, LLP

By 
Sheree Lynn Rybak, Ph.D.
Registration No. 47,913

cc: Docketing

JUN 23 2006

Staple
Here
Only!

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

PATENT NO. : PP16,401

DATED : 4/4/2006

INVENTOR(S) : Michael M. Glenn

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the Specification:

Column 6, line 4, "1¼41" should be 1¼ .

MAILING ADDRESS OF SENDER: Sheree L. Rybak, Ph.D.
Klarquist Sparkman, LLP
One World Trade Center, Suite 1600
121 SW Salmon Street
Portland, Oregon 97204

PATENT NO. PP16,401

No. of add'l copies
@ 30¢ per page

⇒ 0

FORM PTO 1050 (REV. 3-82)

2006

Staple
Here
Only!

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

PATENT NO. : PP16,401

DATED : 4/4/2006

INVENTOR(S) : Michael M. Glenn

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the Specification:

Column 6, line 4, "1¼41" should be 1¼ .

MAILING ADDRESS OF SENDER: Sheree L. Rybak, Ph.D.
Klarquist Sparkman, LLP
One World Trade Center, Suite 1600
121 SW Salmon Street
Portland, Oregon 97204

PATENT NO. PP16,401

No. of add'l copies
@ 30¢ per page

⇒ 0

FORM PTO 1050 (REV. 3-82)

2006